Index

Volume 7 Subject Index 1998

β-envelope method

Creep Data Analyses of a Columnar- Grained Nickel-Base Superalloy by Conventional and β-Envelope Methods 7.4; 548-554

1.25Cr-0.5Mo steel

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2; 227-238

2D/3D heat flow

A Theoretical and Experimental Analysis of Variances in Weld Bead Morphologies 7.4; 515-523

310 stainless steel

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2; 227-238

310S steel

Surface Nanocrystallization of 310S Stainless Steel and Its Effect on Oxidation Behavior 7.1; 88-92

abrasion

A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7.3; 343-351

Low Stress Abrasive Wear Behavior of a Hardfaced Steel 7.2; 221-226

abrasion wear test

Wear Resistance Properties of Austempered Ductile Iron 7.1; 48-52

abrasive medium

Wear Resistance Properties of Austempered Ductile Iron 7.1; 48-52

aging

Aging Characteristics of Short Glass Fiber Reinforced ZA-27 Alloy Composite Materials 7.6; 747-750

HSLA-100 Steels: Influence of Aging Heat Treatment on Microstructure and Properties 7.2; 247-257

Ag thick films

Effect of Heating Cycle on the Structure of Ag Films Deposited over Porcelain Substrates 7.6; 757-760

Al_2O_3

The Effect of Al_2O_3 Addition on the Milling Behavior of NiAl Powder 7.5; 613-616

alloy 2195

The Effects of Artificial Aging on the Microstructure and Fracture Toughness of Al-Cu-Li Alloy 2195 7.5; 682-690

alloy 800

The Corrosion Behavior of TiN Coated and Uncoated Incoloy 800 Alloy 7.6; 812-816

alloy modification

Microstructure and Property Characterization of a Modified Zinc-Base Alloy and Comparison with Bearing Alloys 7.1; 130-135

alumina coating

A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7.3; 343-351

alumina precipitation

Computer Simulation Helps Increase Life of Impeller in Alumina Hydrate Precipitation from 2 to 8 Years 7.4; 491-494

aluminum

The Effects of Artificial Aging on the Microstructure and Fracture Toughness of Al-Cu-Li Alloy 2195 7.5; 682-690

aluminum alloys

Application of Positron Annihilation Spectroscopy to Study Recovery and Recrystallization of Commercial Pure Al and Al-1wt% Mn Alloys 7.5; 673-676

Processing and Response of Aluminum-Lithium Alloy Composites Reinforced with Copper-Coated Silicon Carbide Particulates 7.1; 66-70

aluminum alloy 7475

Low-Cycle Impact Fatigue of SiC_w/7475Al Composite 7.5; 677-681

angle-resolved

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part II: Analysis of Oxides on Dental Alloys 7.3; 334-342

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part I: Background and Theory 7.3; 329-333

annealing

Graphitization in High Carbon Commercial Steels 7.4; 467-473

Microstructural Study of a Mechanically Alloyed ODS Superalloy 7.4; 524-532

application

On the Laser Quenching of the Groove of the Piston Head in Large Diesel Engines 7.3; 402-406

asphalt binders

Relating Tensile, Bending, and Shear Test Data of Asphalt Binders to Pavement Performance 7.6; 805-811

austempered ductile iron

Effect of Austenitizing Conditions on the Impact Properties of an Alloyed Austempered Ductile Iron of Initially Ferritic Matrix Structure 7.2; 265-272

Wear Resistance Properties of Austempered Ductile Iron 7.1; 48-52

austempering

Effect of Austenitizing Conditions on the Impact Properties of an Alloyed Austempered Ductile Iron of Initially Ferritic Matrix Structure 7.2; 265-272

The Effect of Segregation on the Austemper Transformation and Toughness of Ductile Irons 7.3; 407-419

austenite

The Resistance to Cavitation Erosion of CrMnN Stainless Steels 7.6; 801-804

Wear Resistance Properties of Austempered Ductile Iron 7.1; 48-52

austenitic stainless steels

Effects of Laser Surface Melting on the Pitting Resistance of Sensitized Nitrogen-Bearing Type 316L Stainless Steel 7.2; 214-220

austenitic steels

Hot and Cold Rolling of High Nitrogen Cr-Ni and Cr-Mn Austenitic Stainless Steels 7.5; 661-666

Index

Volume 7 Subject Index 1998

β-envelope method

Creep Data Analyses of a Columnar- Grained Nickel-Base Superalloy by Conventional and β-Envelope Methods 7.4; 548-554

1.25Cr-0.5Mo steel

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2; 227-238

2D/3D heat flow

A Theoretical and Experimental Analysis of Variances in Weld Bead Morphologies 7.4; 515-523

310 stainless steel

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2; 227-238

310S steel

Surface Nanocrystallization of 310S Stainless Steel and Its Effect on Oxidation Behavior 7.1; 88-92

abrasion

A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7.3; 343-351

Low Stress Abrasive Wear Behavior of a Hardfaced Steel 7.2; 221-226

abrasion wear test

Wear Resistance Properties of Austempered Ductile Iron 7.1; 48-52

abrasive medium

Wear Resistance Properties of Austempered Ductile Iron 7.1; 48-52

aging

Aging Characteristics of Short Glass Fiber Reinforced ZA-27 Alloy Composite Materials 7.6; 747-750

HSLA-100 Steels: Influence of Aging Heat Treatment on Microstructure and Properties 7.2; 247-257

Ag thick films

Effect of Heating Cycle on the Structure of Ag Films Deposited over Porcelain Substrates 7.6; 757-760

Al_2O_3

The Effect of Al_2O_3 Addition on the Milling Behavior of NiAl Powder 7.5; 613-616

alloy 2195

The Effects of Artificial Aging on the Microstructure and Fracture Toughness of Al-Cu-Li Alloy 2195 7.5; 682-690

alloy 800

The Corrosion Behavior of TiN Coated and Uncoated Incoloy 800 Alloy 7.6; 812-816

alloy modification

Microstructure and Property Characterization of a Modified Zinc-Base Alloy and Comparison with Bearing Alloys 7.1; 130-135

alumina coating

A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7.3; 343-351

alumina precipitation

Computer Simulation Helps Increase Life of Impeller in Alumina Hydrate Precipitation from 2 to 8 Years 7.4; 491-494

aluminum

The Effects of Artificial Aging on the Microstructure and Fracture Toughness of Al-Cu-Li Alloy 2195 7.5; 682-690

aluminum alloys

Application of Positron Annihilation Spectroscopy to Study Recovery and Recrystallization of Commercial Pure Al and Al-1wt% Mn Alloys 7.5; 673-676

Processing and Response of Aluminum-Lithium Alloy Composites Reinforced with Copper-Coated Silicon Carbide Particulates 7.1; 66-70

aluminum alloy 7475

Low-Cycle Impact Fatigue of SiC_w/7475Al Composite 7.5; 677-681

angle-resolved

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part II: Analysis of Oxides on Dental Alloys 7.3; 334-342

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part I: Background and Theory 7.3; 329-333

annealing

Graphitization in High Carbon Commercial Steels 7.4; 467-473

Microstructural Study of a Mechanically Alloyed ODS Superalloy 7.4; 524-532

application

On the Laser Quenching of the Groove of the Piston Head in Large Diesel Engines 7.3; 402-406

asphalt binders

Relating Tensile, Bending, and Shear Test Data of Asphalt Binders to Pavement Performance 7.6; 805-811

austempered ductile iron

Effect of Austenitizing Conditions on the Impact Properties of an Alloyed Austempered Ductile Iron of Initially Ferritic Matrix Structure 7.2; 265-272

Wear Resistance Properties of Austempered Ductile Iron 7.1; 48-52

austempering

Effect of Austenitizing Conditions on the Impact Properties of an Alloyed Austempered Ductile Iron of Initially Ferritic Matrix Structure 7.2; 265-272

The Effect of Segregation on the Austemper Transformation and Toughness of Ductile Irons 7.3; 407-419

austenite

The Resistance to Cavitation Erosion of CrMnN Stainless Steels 7.6; 801-804

Wear Resistance Properties of Austempered Ductile Iron 7.1; 48-52

austenitic stainless steels

Effects of Laser Surface Melting on the Pitting Resistance of Sensitized Nitrogen-Bearing Type 316L Stainless Steel 7.2; 214-220

austenitic steels

Hot and Cold Rolling of High Nitrogen Cr-Ni and Cr-Mn Austenitic Stainless Steels 7.5; 661-666

austenitizing
Effect of Austenitizing Conditions on the Impact Properties of an Alloyed Austempered Ductile Iron of Initially Ferritic Matrix Structure 7.2: 265-272

autobody panel stamping
Study of Dynamic Explicit Analysis in Sheet Metal Forming Processes Using Faster Punch Velocity and Mass Scaling Scheme 7.4: 479-490

automotive
Roof-Crush Strength Improvement Using Rigid Polyurethane Foam 7.4: 511-514

barreling
Warm Compression Tests of Aluminum Alloy 7.4: 474-478

BEM
Boundary Element Methods for the Analysis of Crack Growth in the Presence of Residual Stress Fields 7.3: 352-360

bending stress
Relating Tensile, Bending, and Shear Test Data of Asphalt Binders to Pavement Performance 7.6: 805-811

bimetallic tube
Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2: 227-238

boiler tube
Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2: 227-238

cadmium telluride
Deformation Behavior of Cadmium Telluride Stressed at Elevated Temperatures 7.4: 555-563

CaO
Influence of Climatic Conditions on the Carbonation of Quicklime 7.6: 789-795

carbonation
Influence of Climatic Conditions on the Carbonation of Quicklime 7.6: 789-795

carbon copper
Interfacial Stress in a Carbon-to-Metal Bond Joint under Thermal Shock Loading 7.1: 114-121

carbon steels
Influence of Laser Hardening and Resulting Microstructure on Fatigue Properties of Carbon Steels 7.3: 361-366
Protection of Carbon Steel against Hot Corrosion Using Thermal Spray Si- and Cr-Base Coatings 7.1: 79-87

carburization
Structure Degradation of 25Cr35Ni Heat-Resistant Tube Associated with Surface Coking and Internal Carburization 7.5: 667-672

cavitation erosion
The Resistance to Cavitation Erosion of CrMnN Stainless Steels 7.6: 801-804

centrifugal casting
Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2: 227-238

centrifugation
Penetration in Spot GTA Welds during Centrifugation 7.5: 597-600

ceramic matrix composites
Notch-Sensitive Fracture Behavior of a Silicon Carbide Fiber-Reinforced Glass-Ceramic at Elevated Temperatures 7.1: 104-107

CFD
Computer Simulation Helps Increase Life of Impeller in Alumina Hydrate Precipitation from 2 to 8 Years 7.4: 491-494

chopped fibers
Prediction of Laser-Induced Thermal Damage of Fiber Mat and Fiber MatUD Reinforced Polymers 7.6: 751-756

chromium
A High Cr-Mo Alloy Iron 7.4: 463-466

chromium carbide-nickel chromium coating
A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7.3: 343-351

chromium-molybdenum-vanadium steels
Characterization of Seven Power-Generating Turbine Rotors Using Microscopy-Based Techniques 7.5: 621-631

clad tube
Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2: 227-238

Co_2 laser glazing
Laser Glazing of Plasma-Sprayed Zirconia Coatings 7.2: 258-264

coatings
A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7.3: 343-351
The Effects of a CeO_2 Coating on the Corrosion Parameters of Type 304 Stainless Steel 7.6: 727-732
Microstructure and Hardness of Hollow Cathode Discharge Ion-Plated Titanium Nitride Film 7.3: 324-328
Modified Falex Testing: A Tool for Understanding the Compound Layer Capabilities 7.6: 796-800
The Use of XPS, FTIR, SEM/EDX, Contact Angle, and AFM in the Characterization of Coatings 7.3: 317-323

coating characterization
Surface Characterization Methods—XPS, TOF-SIMS, and SAM A Complimentary Ensemble of Tools 7.3: 303-311

coefficient of friction
Wear Resistance Properties of Austempered Ductile Iron 7.1: 48-52

coefficient of thermal expansion
Solutionizing Effects during Corrosive Wear in 6061 Aluminum and Composites 7.1: 33-47

coking
Structure Degradation of 25Cr35Ni Heat-Resistant Tube Associated with Surface Coking and Internal Carburization 7.5: 667-672

cold cracking
Weldability and Toughness Evaluation of Pressure Vessel Quality Steel Using the Shielded Metal Arc Welding (SMAW) Process 7.6: 817-823

cold expansion
Boundary Element Methods for the Analysis of Crack Growth in the Presence of Residual Stress Fields 7.3: 352-360

complex morphology
A General Approach Based on Constrained Parameter-Optimization for the Implicit Representation of Information Concerning Welding Processes 7.6: 761-771

composite
Aging Characteristics of Short Glass Fiber Reinforced ZA-27 Alloy Composite Materials 7.6: 747-750
Interfacial Stress in a Carbon-to-Metal Bond Joint under Thermal Shock Loading 7.1: 114-121
Low-Cycle Impact Fatigue of SiC_w/7475Al Composite 7.5: 677-681
Mechanical Properties of As-Cast and Heat-Treated ZA-27 Alloy/Short Glass Fiber Composites 7.1: 93-99
Processing and Response of Aluminum-Lithium Alloy Composites Reinforced with Copper-Coated Silicon Carbide Particulates 7.1: 66-70

Prediction of Laser-Induced Thermal Damage of Fiber Mat and Fiber MatUD Reinforced Polymers 7.6; 751-756
A Study of the Effect of Polystyrene Sulfonation on the Performance of Terephthaloyl Chloride-Dihydroxydiphenyl Sulfone Copolymer/Polystyrene System 7.6; 739-746

composite material

Location and Geometry of Defects in Composite Laminates from Infrared Images 7.3; 367-374

constrained

The Preparation of TiAl-Based Intermetallics from Elemental Powders through a Two-Step Pressureless Sintering Process 7.3; 385-392

constraints

A General Approach Based on Constrained Parameter-Optimization for the Implicit Representation of Information Concerning Welding Processes 7.6; 761-771

continuous casting

Comparison of Phosphor Bronze Metal Sheet Produced by Twin Roll Casting and Horizontal Continuous Casting 7.4; 495-503

copper-bearing plate steel

Microstructure and Properties of Quenched-and-Aged Plates Produced from a Copper-Bearing HSLA Steel 7.4; 504-510

copper precipitation

HSLA-100 Steels: Influence of Aging Heat Treatment on Microstructure and Properties 7.2; 247-257

corrosion

The Corrosion Behavior of TiN Coated and Uncoated Incoloy 800 Alloy 7.6; 812-816
The Effects of a CeO_2 Coating on the Corrosion Parameters of Type 304 Stainless Steel 7.6; 727-732
Solutionizing Effects during Corrosive Wear in 6061 Aluminum and Composites 7.1; 33-47

corrosion by deposits

High-Temperature Degradation and Protection of Ferritic and Austenitic Steels in Steam Generators 7.1; 108-113

counterface material

Sliding Wear Response of a Leaded-Tin Bronze: Influence of the Counterface Material Characteristics 7.1; 122-129

countersurface material

Wear Resistance Properties of Austempered Ductile Iron 7.1; 48-52

crack formation

Crack Growth in a Welded Microalloyed Steel under Sulfide Stress Cracking Conditions 7.6; 777-783

crack growth

Estimation of Early Fatigue Damage in Heat Treated En-8 Grade Steel 7.4; 457-462
Fatigue Crack/Residual Stress Field Interactions and Their Implications for Damage-Tolerant Design 7.2; 190-198
In Situ Investigation of the Effect of Hydrogen on the Plastic Deformation Ahead of the Crack Tip and the Crack Propagation for 0.15C-1.5Mn-0.17V-0.012N Steel 7.1; 100-103

crack tip opening displacement

Weldability and Toughness Evaluation of Pressure Vessel Quality Steel Using the Shielded Metal Arc Welding (SMAW) Process 7.6; 817-823

creep

Creep Data Analyses of a Columnar-Grained Nickel-Base Superalloy by Conventional and β-Envelope Methods 7.4; 548-554

creep resistance

High-Temperature Degradation and Protection of Ferritic and Austenitic Steels in Steam Generators 7.1; 108-113

critical resolved sheer stress

Deformation Behavior of Cadmium Telluride Stressed at Elevated Temperatures 7.4; 555-563

CrMnN steels

The Resistance to Cavitation Erosion of CrMnN Stainless Steels 7.6; 801-804

crystal growth

Deformation Behavior of Cadmium Telluride Stressed at Elevated Temperatures 7.4; 555-563

Cu-Sn-P alloys

Comparison of Phosphor Bronze Metal Sheet Produced by Twin Roll Casting and Horizontal Continuous Casting 7.4; 495-503

damage

The Effect of Zr on the Low-Cycle Fatigue Behavior of NiAl at 1000 K 7.2; 205-213

damage tolerance

Fatigue Crack/Residual Stress Field Interactions and Their Implications for Damage-Tolerant Design 7.2; 190-198

deep penetration

A General Approach Based on Constrained Parameter-Optimization for the Implicit Representation of Information Concerning Welding Processes 7.6; 761-771

deep sour-gas wells

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2; 227-238

defects

Location and Geometry of Defects in Composite Laminates from Infrared Images 7.3; 367-374

deformability

Description of a Mathematical Model of Deformability for the Process of Drawing Tubes on a Fixed Mandrel 7.1; 71-78

deformation

Deformation Behavior of Cadmium Telluride Stressed at Elevated Temperatures 7.4; 555-563
The Effect of Zr on the Low-Cycle Fatigue Behavior of NiAl at 1000 K 7.2; 205-213
Graphitization in High Carbon Commercial Steels 7.4; 467-473

dendritic microstructure

Hardness, Microstructure and Surface Characterization of Laser Gas Nitrided Commercially Pure Titanium Using High Power CO_2 Laser 7.5; 647-655

dental alloys

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part II: Analysis of Oxides on Dental Alloys 7.3; 334-342

depth profile

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part I: Background and Theory 7.3; 329-333

d-gun coatings

A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7.3; 343-351

direction tension

Relating Tensile, Bending, and Shear Test Data of Asphalt Binders to Pavement Performance 7.6; 805-811

dislocations

Deformation Behavior of Cadmium Telluride Stressed at Elevated Temperatures 7.4; 555-563

drawing

Description of a Mathematical Model of Deformability for the Process of Drawing Tubes on a Fixed Mandrel 7.1; 71-78

drawing tubes

Description of a Mathematical Model of Deformability for the Process of Drawing Tubes on a Fixed Mandrel 7.1; 71-78

dual phase steel

Effect of Rolling in the Intercritical Region on the Tensile Properties of Dual-Phase Steel 7.6; 772-776

ductile iron

The Effect of Segregation on the Austemper Transformation and Toughness of Ductile Irons 7.3; 407-419

duplex

The Preparation of TiAl-Based Intermetallics from Elemental Powders through a Two-Step Pressureless Sintering Process 7.3; 385-392

dynamic explicit

Study of Dynamic Explicit Analysis in Sheet Metal Forming Processes Using Faster Punch Velocity and Mass Scaling Scheme 7.4; 479-490

E-glass

Mechanical Properties of As-Cast and Heat-Treated ZA-27 Alloy/Short Glass Fiber Composites 7.1; 93-99

electrodeposition

Tribological Behavior of Ni/Sn Metallic Multilayer Composites 7.1; 27-32

elliptic problem

A General Approach Based on Constrained Parameter-Optimization for the Implicit Representation of Information Concerning Welding Processes 7.6; 761-771

embrittlement

Notch-Sensitive Fracture Behavior of a Silicon Carbide Fiber-Reinforced Glass-Ceramic at Elevated Temperatures 7.1; 104-107

engine valve seat wear

Wear and Wear Mechanism Simulation of Heavy-Duty Engine Intake Valve and Seat Inserts 7.1; 53-65

erosion

A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7.3; 343-351

extrusion

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2; 227-238

failure analysis

Surface Characterization Methods— XPS, TOF-SIMS, and SAM A Complimentary Ensemble of Tools 7.3; 303-311

The Use of XPS, FTIR, SEM/EDX, Contact Angle, and AFM in the Characterization of Coatings 7.3; 317-323

falex test

Modified Falex Testing: A Tool for Understanding the Compound Layer Capabilities 7.6; 796-800

fatigue

Estimation of Early Fatigue Damage in Heat Treated En-8 Grade Steel 7.4; 457-462

Fatigue Crack/Residual Stress Field Interactions and Their Implications for Damage-Tolerant Design 7.2; 190-198

fatigue life

Influence of Laser Hardening and Resulting Microstructure on Fatigue Properties of Carbon Steels 7.3; 361-366

FEM

A Numerical Model to Investigate the Role of Residual Stresses on the Mechanical Behavior of Al/Al_2O_3 Particulate Composites 7.2; 183-189

ferritic matrix

Effect of Austenitizing Conditions on the Impact Properties of an Alloyed Austempered Ductile Iron of Initially Ferritic Matrix Structure 7.2; 265-272

finite element method

Study of Dynamic Explicit Analysis in Sheet Metal Forming Processes Using Faster Punch Velocity and Mass Scaling Scheme 7.4; 479-490

fixed mandrel

Description of a Mathematical Model of Deformability for the Process of Drawing Tubes on a Fixed Mandrel 7.1; 71-78

forming

Hot and Cold Rolling of High Nitrogen Cr-Ni and Cr-Mn Austenitic Stainless Steels 7.5; 661-666

fractography

Mechanical Behavior of Al-Al_2O_3 MMC Manufactured by PM Techniques Part I—Scheme I Processing Parameters 7.3; 393-401

fracture

Processing and Response of Aluminum-Lithium Alloy Composites Reinforced with Copper-Coated Silicon Carbide Particulates 7.1; 66-70

fracture mechanics

Boundary Element Methods for the Analysis of Crack Growth in the Presence of Residual Stress Fields 7.3; 352-360

friction

Tribological Behavior of Ni/Sn Metailic Multilayer Composites 7.1; 27-32

gallium

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part II: Analysis of Oxides on Dental Alloys 7.3; 334-342

gas tungsten electrode

Penetration in Spot GTA Welds during Centrifugation 7.5; 597-600

generating function

A General Approach Based on Constrained Parameter-Optimization for the Implicit Representation of Information Concerning Welding Processes 7.6; 761-771

grade En-8 steel

Estimation of Early Fatigue Damage in Heat Treated En-8 Grade Steel 7.4; 457-462

grain growth

Microstructural Study of a Mechanically Alloyed ODS Superalloy 7.4; 524-532

graphitization

Graphitization in High Carbon Commercial Steels 7.4; 467-473

grinding

Assessment of Techniques for Characterizing the Surface Quality of Ground Silicon Nitride 7.4; 533-547

GTA welding

A Theoretical and Experimental Analysis of Variances in Weld Bead Morphologies 7.4; 515-523

hardfacing

Low Stress Abrasive Wear Behavior of a Hardfaced Steel 7.2; 221-226

hardness

Aging Characteristics of Short Glass Fiber Reinforced ZA-27 Alloy Composite Materials 7.6; 747-750

heat-resistant alloy

Structure Degradation of 25Cr35Ni Heat-Resistant Tube Associated with Surface Coking and Internal Carburization 7.5; 667-672

heat transfer
Inverse Optimal Design of the Radiant Heating in Materials Processing and Manufacturing 7.6; 719-726

heat transfer coefficient
Heat Transfer Coefficient on External Mold Surface at High Pressure and Application to Metal-Matrix Composite Casting 7.5; 637-642

heat treating
The Effect of Segregation on the Austemper Transformation and Toughness of Ductile Irons 7.3; 407-419

heat treatment
The Effects of Artificial Aging on the Microstructure and Fracture Toughness of Al-Cu-Li Alloy 2195 7.5; 682-690
HSLA-100 Steels: Influence of Aging Heat Treatment on Microstructure and Properties 7.2; 247-257

heavy-duty engine valve
Wear and Wear Mechanism Simulation of Heavy-Duty Engine Intake Valve and Seat Inserts 7.1; 53-65

high heat flux
Interfacial Stress in a Carbon-to-Metal Bond Joint under Thermal Shock Loading 7.1; 114-121

high pressure
Heat Transfer Coefficient on External Mold Surface at High Pressure and Application to Metal-Matrix Composite Casting 7.5; 637-642

high temperature properties
Notch-Sensitive Fracture Behavior of a Silicon Carbide Fiber-Reinforced Glass-Ceramic at Elevated Temperatures 7.1; 104-107

high-carbon steels
Graphitization in High Carbon Commercial Steels 7.4; 467-473

hole drilling
Recent Advances in the Hole Drilling Method for Residual Stress Measurement 7.2; 163-172

hollow cathode discharge
Microstructure and Hardness of Hollow Cathode Discharge Ion-Plated Titanium Nitride Film 7.3; 324-328

hot corrosion
Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2; 227-238
Protection of Carbon Steel against Hot Corrosion Using Thermal Spray Si- and Cr-Base Coatings 7.1; 79-87

hot isostatic pressing
Synthesis of γ-TiAl Based Alloy by Mechanical Alloying and Reactive Hot Isostatic Pressing 7.6; 784-788

HREM
High Resolution Electron Microscopy Characterization of Nitrides of Iron and Iron Alloys 7.3; 312-316

HSLA-80
Microstructure and Properties of Quenched-and-Aged Plates Produced from a Copper-Bearing HSLA Steel 7.4; 504-510

HSLA steels
HSLA-100 Steels: Influence of Aging Heat Treatment on Microstructure and Properties 7.2; 247-257

HY-80
Microstructure and Properties of Quenched-and-Aged Plates Produced from a Copper-Bearing HSLA Steel 7.4; 504-510

hydraulic turbines
The Resistance to Cavitation Erosion of CrMnN Stainless Steels 7.6; 801-804

hydrogen
In Situ Investigation of the Effect of Hydrogen on the Plastic Deformation Ahead of the Crack Tip and the Crack Propagation for 0.15C-1.5Mn-0.17V-0.012N Steel 7.1; 100-103

hydrogen embrittlement
Residual Stress Effects in Stress-Corrosion Cracking 7.2; 173-182

impact
Low-Cycle Impact Fatigue of SiC_w/7475Al Composite 7.5; 677-681

impact properties
Effect of Austenitizing Conditions on the Impact Properties of an Alloyed Austempered Ductile Iron of Initially Ferritic Matrix Structure 7.2; 265-272

impact toughness
Weldability and Toughness Evaluation of Pressure Vessel Quality Steel Using the Shielded Metal Arc Welding (SMAW) Process 7.6; 817-823

impedance
The Effects of a CeO_2 Coating on the Corrosion Parameters of Type 304 Stainless Steel 7.6; 727-732

impeller
Computer Simulation Helps Increase Life of Impeller in Alumina Hydrate Precipitation from 2 to 8 Years 7.4; 491-494

induction
Effect of Heating Cycle on the Structure of Ag Films Deposited over Porcelain Substrates 7.6; 757-760

infrared thermography
Location and Geometry of Defects in Composite Laminates from Infrared Images 7.3; 367-374

in-situ composites
Microstructure of Heavily Deformed Magnesium- Lithium Composites Containing Steel Fibers 7.3; 375-384

intercritical region
Effect of Rolling in the Intercritical Region on the Tensile Properties of Dual-Phase Steel 7.6; 772-776

interface
Notch-Sensitive Fracture Behavior of a Silicon Carbide Fiber-Reinforced Glass-Ceramic at Elevated Temperatures 7.1; 104-107

intermetallic
The Effect of Zr on the Low-Cycle Fatigue Behavior of NiAl at 1000 K 7.2; 205-213

intermetallic compounds
Synthesis of γ-TiAl Based Alloy by Mechanical Alloying and Reactive Hot Isostatic Pressing 7.6; 784-788

inverse design
Inverse Optimal Design of the Radiant Heating in Materials Processing and Manufacturing 7.6; 719-726

iron nitrides
High Resolution Electron Microscopy Characterization of Nitrides of Iron and Iron Alloys 7.3; 312-316

isochronal heat treatment
AR-Aging as a New Approach for Enhanced Results 7.6; 733-738

kinetics
Graphitization in High Carbon Commercial Steels 7.4; 467-473

Kirkendall effect
The Preparation of TiAl-Based Intermetallics from Elemental Powders through a Two-Step Pressureless Sintering Process 7.3; 385-392

lamellar
The Preparation of TiAl-Based Intermetallics from Elemental Powders through a Two-Step Pressureless Sintering Process 7.3; 385-392

lamellar tearing
Weldability and Toughness Evaluation of Pressure Vessel Quality Steel Using the Shielded Metal Arc Welding (SMAW) Process 7.6: 817-823

laser
Prediction of Laser-Induced Thermal Damage of Fiber Mat and Fiber MatUD Reinforced Polymers 7.6: 751-756

laser gas alloying
Hardness, Microstructure and Surface Characterization of Laser Gas Nitrided Commercially Pure Titanium Using High Power CO_2 Laser 7.5: 647-655

laser hardening
Influence of Laser Hardening and Resulting Microstructure on Fatigue Properties of Carbon Steels 7.3: 361-366

laser nitriding
Hardness, Microstructure and Surface Characterization of Laser Gas Nitrided Commercially Pure Titanium Using High Power CO_2 Laser 7.5: 647-655

laser quenching
On the Laser Quenching of the Groove of the Piston Head in Large Diesel Engines 7.3: 402-406

laser surface melting
Effects of Laser Surface Melting on the Pitting Resistance of Sensitized Nitrogen-Bearing Type 316L Stainless Steel 7.2: 214-220

laser surface modification
Hardness, Microstructure and Surface Characterization of Laser Gas Nitrided Commercially Pure Titanium Using High Power CO_2 Laser 7.5: 647-655

leaded-tin bronze
Microstructure and Property Characterization of a Modified Zinc-Base Alloy and Comparison with Bearing Alloys 7.1: 130-135
Sliding Wear Response of a Leaded-Tin Bronze: Influence of the Counterface Material Characteristics 7.1: 122-129

lime
Influence of Climatic Conditions on the Carbonation of Quicklime 7.6: 789-795

lithium alloys
The Effects of Artificial Aging on the Microstructure and Fracture Toughness of Al-Cu-Li Alloy 2195 7.5: 682-690

low cycle fatigue
The Effect of Zr on the Low-Cycle Fatigue Behavior of NiAl at 1000 K 7.2: 205-213

magnetron sputtering
Surface Nanocrystallization of 310S Stainless Steel and Its Effect on Oxidation Behavior 7.1: 88-92

manufacturing
Manufacturing and Recycling of A380Al/$SiC_{(p)}$ Composites 7.2: 239-246

MAR-aging steel alloy C-350
AR-Aging as a New Approach for Enhanced Results 7.6: 733-738

Marangoni flow
Penetration in Spot GTA Welds during Centrifugation 7.5: 597-600

martensite
Wear Resistance Properties of Austempered Ductile Iron 7.1: 48-52

mass scaling
Study of Dynamic Explicit Analysis in Sheet Metal Forming Processes Using Faster Punch Velocity and Mass Scaling Scheme 7.4: 479-490

materials processing
Inverse Optimal Design of the Radiant Heating in Materials Processing and Manufacturing 7.6: 719-726

mechanical alloying
Microstructural Study of a Mechanically Alloyed ODS Superalloy 7.4: 524-532

mechanical alloy of rare earth sulfides
Preparation and Processing of Rare Earth Chalcogenides 7.5: 656-660

mechanical behavior
Mechanical Behavior of Al-Al_2O_3 MMC Manufactured by PM Techniques Part I—Scheme I Processing Parameters 7.3: 393-401

mechanical milling of rare earth sulfides
Preparation and Processing of Rare Earth Chalcogenides 7.5: 656-660

mechanical properties
HSLA-100 Steels: Influence of Aging Heat Treatment on Microstructure and Properties 7.2: 247-257
Mechanical Properties of As-Cast and Heat-Treated ZA-27 Alloy/Short Glass Fiber Composites 7.1: 93-99
Microstructure and Property Characterization of a Modified Zinc-Base Alloy and Comparison with Bearing Alloys 7.1: 130-135
Response of Some Cast Zinc-Base Alloys (37.5% Al) Comprised of Nickel/Silicon under Different Tensile Loading Conditions 7.5: 632-636
A Study of the Effect of Polystyrene Sulfonation on the Performance of Terephthaloyl Chloride-Dihydroxydiphenyl Sulfone Copolymer/Polystyrene System 7.6: 739-746

metal forming
Description of a Mathematical Model of Deformability for the Process of Drawing Tubes on a Fixed Mandrel 7.1: 71-78

metallic coatings
High-Temperature Degradation and Protection of Ferritic and Austenitic Steels in Steam Generators 7.1: 108-113

metal-matrix composites
Heat Transfer Coefficient on External Mold Surface at High Pressure and Application to Metal-Matrix Composite Casting 7.5: 637-642
Mechanical Behavior of Al-Al_2O_3 MMC Manufactured by PM Techniques Part I—Scheme I Processing Parameters 7.3: 393-401
Microstructure of Heavily Deformed Magnesium- Lithium Composites Containing Steel Fibers 7.3: 375-384

microalloyed steel
Crack Growth in a Welded Microalloyed Steel under Sulfide Stress Cracking Conditions 7.6: 777-783

microscopy
Characterization of Seven Power-Generating Turbine Rotors Using Microscopy-Based Techniques 7.5: 621-631
Microstructure of Heavily Deformed Magnesium- Lithium Composites Containing Steel Fibers 7.3: 375-384

microstructural changes
Effects of Laser Surface Melting on the Pitting Resistance of Sensitized Nitrogen-Bearing Type 316L Stainless Steel 7.2: 214-220

microstructure
Crack Growth in a Welded Microalloyed Steel under Sulfide Stress Cracking Conditions 7.6: 777-783
The Effects of Artificial Aging on the Microstructure and Fracture Toughness of Al-Cu-Li Alloy 2195 7.5: 682-690
Influence of Roll and Solution Treatment Processing on Shape Memory Effect of Fe-14Mn-5Si-9Cr-5Ni Alloy 7.5: 617-620
Mechanical Behavior of Al-Al_2O_3 MMC Manufactured by PM Techniques Part I—Scheme I Processing Parameters 7.3: 393-401
Processing and Response of Aluminum-Lithium Alloy Composites Reinforced with Copper-Coated Silicon Carbide Particulates 7.1: 66-70
Response of Some Cast Zinc-Base Alloys (37.5% Al) Comprised of Nickel/Silicon under Different Tensile Loading Conditions 7.5: 632-636

Sliding Wear Response of a Leaded-Tin Bronze: Influence of the Counterface Material Characteristics 7.1: 122-129

microstructure-property correlation

Microstructure and Property Characterization of a Modified Zinc-Base Alloy and Comparison with Bearing Alloys 7.1: 130-135

milling

The Effect of Al_2O_3 Addition on the Milling Behavior of NiAl Powder 7.5: 613-616

milling test

Tribological Behavior and Wear Mechanisms of TiN/TiCN/TiN Multilayer Coatings 7.5: 601-612

minimum creep rate

Creep Data Analyses of a Columnar-Grained Nickel-Base Superalloy by Conventional and β-Envelope Methods 7.4: 548-554

mixing

Computer Simulation Helps Increase Life of Impeller in Alumina Hydrate Precipitation from 2 to 8 Years 7.4: 491-494

MMCs

A Numerical Model to Investigate the Role of Residual Stresses on the Mechanical Behavior of Al/Al_2O_3 Particulate Composites 7.2: 183-189

modeling

A Theoretical and Experimental Analysis of Variances in Weld Bead Morphologies 7.4: 515-523

modulus

Processing and Response of Aluminum-Lithium Alloy Composites Reinforced with Copper-Coated Silicon Carbide Particulates 7.1: 66-70

mold surface

Heat Transfer Coefficient on External Mold Surface at High Pressure and Application to Metal-Matrix Composite Casting 7.5: 637-642

molybdenum

A High Cr-Mo Alloy Iron 7.4: 463-466

Mossbauer spectra

The Resistance to Cavitation Erosion of CrMnN Stainless Steels 7.6: 801-804

multilayer coatings

Tribological Behavior and Wear Mechanisms of TiN/TiCN/TiN Multilayer Coatings 7.5: 601-612

multilayer composite

Tribological Behavior of Ni/Sn Metallic Multilayer Composites 7.1: 27-32

nanocrystallization

Surface Nanocrystallization of 310S Stainless Steel and Its Effect on Oxidation Behavior 7.1: 88-92

neutron diffraction

Fatigue Crack/Residual Stress Field Interactions and Their Implications for Damage-Tolerant Design 7.2: 190-198

NiAl

The Effect of Al_2O_3 Addition on the Milling Behavior of NiAl Powder 7.5: 613-616

The Effect of Zr on the Low-Cycle Fatigue Behavior of NiAl at 1000 K 7.2: 205-213

nickel

Tribological Behavior of Ni/Sn Metallic Multilayer Composites 7.1: 27-32

nickel-base superalloy

Creep Data Analyses of a Columnar-Grained Nickel-Base Superalloy by Conventional and β-Envelope Methods 7.4: 548-554

nitrogen steels

Hot and Cold Rolling of High Nitrogen Cr-Ni and Cr-Mn Austenitic Stainless Steels 7.5: 661-666

nondestructive tests

Location and Geometry of Defects in Composite Laminates from Infrared Images 7.3: 367-374

nonlinear analysis

Boundary Element Methods for the Analysis of Crack Growth in the Presence of Residual Stress Fields 7.3: 352-360

notch sensitivity

Notch-Sensitive Fracture Behavior of a Silicon Carbide Fiber-Reinforced Glass-Ceramic at Elevated Temperatures 7.1: 104-107

optimization design

Inverse Optimal Design of the Radiant Heating in Materials Processing and Manufacturing 7.6: 719-726

optimize

Roof-Crush Strength Improvement Using Rigid Polyurethane Foam 7.4: 511-514

oxidation

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2: 227-238

Notch-Sensitive Fracture Behavior of a Silicon Carbide Fiber-Reinforced Glass-Ceramic at Elevated Temperatures 7.1: 104-107

Surface Nanocrystallization of 310S Stainless Steel and Its Effect on Oxidation Behavior 7.1: 88-92

oxide

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part I: Background and Theory 7.3: 329-333

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part II: Analysis of Oxides on Dental Alloys 7.3: 334-342

palladium

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part II: Analysis of Oxides on Dental Alloys 7.3: 334-342

parameter optimization

A General Approach Based on Constrained Parameter-Optimization for the Implicit Representation of Information Concerning Welding Processes 7.6: 761-771

particle size distribution

The Effect of Al_2O_3 Addition on the Milling Behavior of NiAl Powder 7.5: 613-616

particulate aluminum matrix composites

Manufacturing and Recycling of $A380Al/SiC_{(p)}$ Composites 7.2: 239-246

passivation

Solutionizing Effects during Corrosive Wear in 6061 Aluminum and Composites 7.1: 33-47

pavement performance

Relating Tensile, Bending, and Shear Test Data of Asphalt Binders to Pavement Performance 7.6: 805-811

penetration

Penetration in Spot GTA Welds during Centrifugation 7.5: 597-600

phosphor bronze

Comparison of Phosphor Bronze Metal Sheet Produced by Twin Roll Casting and Horizontal Continuous Casting 7.4: 495-503

piston head

On the Laser Quenching of the Groove of the Piston Head in Large Diesel Engines 7.3: 402-406

pitting
The Corrosion Behavior of TiN Coated and Uncoated Incoloy 800 Alloy 7.6: 812-816
pitting corrosion
Effects of Laser Surface Melting on the Pitting Resistance of Sensitized Nitrogen-Bearing Type 316L Stainless Steel 7.2: 214-220
plasma spray
Laser Glazing of Plasma-Sprayed Zirconia Coatings 7.2: 258-264
plasma spray coatings
A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7.3: 343-351
plasticity
Recent Advances in the Hole Drilling Method for Residual Stress Measurement 7.2: 163-172
plasma nitriding
High Resolution Electron Microscopy Characterization of Nitrides of Iron and Iron Alloys 7.3: 312-316
P/M bimetal
Effect of Processing Parameters on the Elastic Deflection of P/M Ni-Fe36Ni Bimetal Strips during Heating 7.5: 643-646
polygonization
AR-Aging as a New Approach for Enhanced Results 7.6: 733-738
polystyrene
A Study of the Effect of Polystyrene Sulfonation on the Performance of Terephthaloyl Chloride-Dihydroxydiphenyl Sulfone Copolymer/Polystyrene System 7.6: 739-746
porcelain
Effect of Heating Cycle on the Structure of Ag Films Deposited over Porcelain Substrates 7.6: 757-760
positron annihilation
Application of Positron Annihilation Spectroscopy to Study Recovery and Recrystallization of Commercial Pure Al and Al-1wt% Mn Alloys 7.5: 673-676
powder metallurgy
Mechanical Behavior of Al-Al_2O_3 MMC Manufactured by PM Techniques Part I—Scheme I Processing Parameters 7.3: 393-401
power generation
Characterization of Seven Power-Generating Turbine Rotors Using Microscopy-Based Techniques 7.5: 621-631
power law
Warm Compression Tests of Aluminum Alloy 7.4: 474-478
power plant
High-Temperature Degradation and Protection of Ferritic and Austenitic Steels in Steam Generators 7.1: 108-113
precipitation hardening acicular ferrite
Microstructure and Properties of Quenched-and-Aged Plates Produced from a Copper-Bearing HSLA Steel 7.4: 504-510
preparation of rare earth chalcogenides
Preparation and Processing of Rare Earth Chalcogenides 7.5: 656-660
pressure quenching
A Mixture of Pure Gases that Produce Maximum Heat Transfer Characteristics for Quenching 7.3: 420-424
pressureless
The Preparation of TiAl-Based Intermetallics from Elemental Powders through a Two-Step Pressureless Sintering Process 7.3: 385-392
process defects
Laser Glazing of Plasma-Sprayed Zirconia Coatings 7.2: 258-264
processing
Processing and Response of Aluminum-Lithium Alloy Composites Reinforced with Copper-Coated Silicon Carbide Particulates 7.1: 66-70
processing of rare earth chalcogenides
Preparation and Processing of Rare Earth Chalcogenides 7.5: 656-660
processing parameter
Effect of Processing Parameters on the Elastic Deflection of P/M Ni-Fe36Ni Bimetal Strips during Heating 7.5: 643-646
Laser Glazing of Plasma-Sprayed Zirconia Coatings 7.2: 258-264
pulsed laser
Laser Glazing of Plasma-Sprayed Zirconia Coatings 7.2: 258-264
punch velocity
Study of Dynamic Explicit Analysis in Sheet Metal Forming Processes Using Faster Punch Velocity and Mass Scaling Scheme 7.4: 479-490
quenching
A Mixture of Pure Gases that Produce Maximum Heat Transfer Characteristics for Quenching 7.3: 420-424
radiant heating
Inverse Optimal Design of the Radiant Heating in Materials Processing and Manufacturing 7.6: 719-726
rare earth chalcogenides
Preparation and Processing of Rare Earth Chalcogenides 7.5: 656-660
rare earth sulfide
Preparation and Processing of Rare Earth Chalcogenides 7.5: 656-660
reciprocating wear
Tribological Behavior and Wear Mechanisms of TiN/TiCN/TiN Multilayer Coatings 7.5: 601-612
recovery
Application of Positron Annihilation Spectroscopy to Study Recovery and Recrystallization of Commercial Pure Al and Al-1wt% Mn Alloys 7.5: 673-676
recrystallization
Application of Positron Annihilation Spectroscopy to Study Recovery and Recrystallization of Commercial Pure Al and Al-1wt% Mn Alloys 7.5: 673-676
recrystallization and recovery
AR-Aging as a New Approach for Enhanced Results 7.6: 733-738
recycling
Manufacturing and Recycling of A380Al/$SiC_{(p)}$ Composites 7.2: 239-246
reheater
High-Temperature Degradation and Protection of Ferritic and Austenitic Steels in Steam Generators 7.1: 108-113
residual stress
Fatigue Crack/Residual Stress Field Interactions and Their Implications for Damage-Tolerant Design 7.2: 190-198
A Numerical Model to Investigate the Role of Residual Stresses on the Mechanical Behavior of Al/Al_2O_3 Particulate Composites 7.2: 183-189
Recent Advances in the Hole Drilling Method for Residual Stress Measurement 7.2: 163-172
Residual Stress Effects in Stress-Corrosion Cracking 7.2: 173-182
restraint intensity
Weldability and Toughness Evaluation of Pressure Vessel Quality Steel Using the Shielded Metal Arc Welding (SMAW) Process 7.6: 817-823
review
The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part I: Background and Theory 7.3: 329-333

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part II: Analysis of Oxides on Dental Alloys 7.3; 334-342

rheology

An Internal-Variable Constitutive Model for Semisolid Slurries At High Solid Fractions 7.2; 199-204

rigid foam

Roof-Crush Strength Improvement Using Rigid Polyurethane Foam 7.4; 511-514

rolling and solution processing

Influence of Roll and Solution Treatment Processing on Shape Memory Effect of Fe-14Mn-5Si-9Cr-5Ni Alloy 7.5; 617-620

rotating dry sliding test

Wear Resistance Properties of Austempered Ductile Iron 7.1; 48-52

rupture life

Creep Data Analyses of a Columnar-Grained Nickel-Base Superalloy by Conventional and β-Envelope Methods 7.4; 548-554

safety

Roof-Crush Strength Improvement Using Rigid Polyurethane Foam 7.4; 511-514

scaling

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2; 227-238

scanning electron microscopy

The Use of XPS, FTIR, SEM/EDX, Contact Angle, and AFM in the Characterization of Coatings 7.3; 317-323

seat wear simulation

Wear and Wear Mechanism Simulation of Heavy-Duty Engine Intake Valve and Seat Inserts 7.1; 53-65

segregation

The Effect of Segregation on the Austemper Transformation and Toughness of Ductile Irons 7.3; 407-419

self-lubrication

Tribological Behavior of Ni/Sn Metallic Multilayer Composites 7.1; 27-32

sensitization

Effects of Laser Surface Melting on the Pitting Resistance of Sensitized Nitrogen-Bearing Type 316L Stainless Steel 7.2; 214-220

shape memory alloy

Influence of Roll and Solution Treatment Processing on Shape Memory Effect of Fe-14Mn-5Si-9Cr-5Ni Alloy 7.5; 617-620

shape memory effect

Influence of Roll and Solution Treatment Processing on Shape Memory Effect of Fe-14Mn-5Si-9Cr-5Ni Alloy 7.5; 617-620

shear modulus

Relating Tensile, Bending, and Shear Test Data of Asphalt Binders to Pavement Performance 7.6; 805-811

sheet metal forming

Study of Dynamic Explicit Analysis in Sheet Metal Forming Processes Using Faster Punch Velocity and Mass Scaling Scheme 7.4; 479-490

shielded metal arc welding

Weldability and Toughness Evaluation of Pressure Vessel Quality Steel Using the Shielded Metal Arc Welding (SMAW) Process 7.6; 817-823

short glass fibers

Aging Characteristics of Short Glass Fiber Reinforced ZA-27 Alloy Composite Materials 7.6; 747-750

Si-base coating

Protection of Carbon Steel against Hot Corrosion Using Thermal Spray Si- and Cr-Base Coatings 7.1; 79-87

silicon nitride

Assessment of Techniques for Characterizing the Surface Quality of Ground Silicon Nitride 7.4; 533-547

sintering

Effect of Heating Cycle on the Structure of Ag Films Deposited over Porcelain Substrates 7.6; 757-760

sliding wear

A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7.3; 343-351

sliding wear behavior

Microstructure and Property Characterization of a Modified Zinc-Base Alloy and Comparison with Bearing Alloys 7.1; 130-135

sliding wear response

Sliding Wear Response of a Leaded-Tin Bronze: Influence of the Counterface Material Characteristics 7.1; 122-129

slurries

An Internal-Variable Constitutive Model for Semisolid Slurries At High Solid Fractions 7.2; 199-204

Sn-Pb alloys

An Internal-Variable Constitutive Model for Semisolid Slurries At High Solid Fractions 7.2; 199-204

solid lubricant

Tribological Behavior of Ni/Sn Metallic Multilayer Composites 7.1; 27-32

solidification

Deformation Behavior of Cadmium Telluride Stressed at Elevated Temperatures 7.4; 555-563

solution treatment

Hot and Cold Rolling of High Nitrogen Cr-Ni and Cr-Mn Austenitic Stainless Steels 7.5; 661-666

solutionizing

Solutionizing Effects during Corrosive Wear in 6061 Aluminum and Composites 7.1; 33-47

sour gas environment

Crack Growth in a Welded Microalloyed Steel under Sulfide Stress Cracking Conditions 7.6; 777-783

spacecraft hardware

The Effects of Artificial Aging on the Microstructure and Fracture Toughness of Al-Cu-Li Alloy 2195 7.5; 682-690

steel

In Situ Investigation of the Effect of Hydrogen on the Plastic Deformation Ahead of the Crack Tip and the Crack Propagation for 0.15C-1.5Mn-0.17V-0.012N Steel 7.1; 100-103

Low Stress Abrasive Wear Behavior of a Hardfaced Steel 7.2; 221-226

steel wool

Microstructure of Heavily Deformed Magnesium- Lithium Composites Containing Steel Fibers 7.3; 375-384

strain

Effect of Rolling in the Intercritical Region on the Tensile Properties of Dual-Phase Steel 7.6; 772-776

stress

Effect of Rolling in the Intercritical Region on the Tensile Properties of Dual-Phase Steel 7.6; 772-776

Interfacial Stress in a Carbon-to-Metal Bond Joint under Thermal Shock Loading 7.1; 114-121

stress-affected phase transformation

Wear Resistance Properties of Austempered Ductile Iron 7.1; 48-52

stress corrosion cracking

Crack Growth in a Welded Microalloyed Steel under Sulfide Stress Cracking Conditions 7.6; 777-783

Residual Stress Effects in Stress-Corrosion Cracking 7,2; 173-182

structure

Roof-Crush Strength Improvement Using Rigid Polyurethane Foam 7,4; 511-514

sulfidation

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7,2; 227-238

sulfide stress cracking

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7,2; 227-238

sulfonation

A Study of the Effect of Polystyrene Sulfonation on the Performance of Terephthaloyl Chloride-Dihydroxydiphenyl Sulfone Copolymer/Polystyrene System 7,6; 739-746

superheater tube

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7,2; 227-238

surface analyses

Influence of Climatic Conditions on the Carbonation of Quicklime 7,6; 789-795

surface characterization

Assessment of Techniques for Characterizing the Surface Quality of Ground Silicon Nitride 7,4; 533-547

surface wear

Assessment of Techniques for Characterizing the Surface Quality of Ground Silicon Nitride 7,4; 533-547

tensile properties

Effect of Rolling in the Intercritical Region on the Tensile Properties of Dual-Phase Steel 7,6; 772-776

Hot and Cold Rolling of High Nitrogen Cr-Ni and Cr-Mn Austenitic Stainless Steels 7,5; 661-666

tensile tests

Response of Some Cast Zinc-Base Alloys (37.5% Al) Comprised of Nickel/Silicon under Different Tensile Loading Conditions 7,5; 632-636

texture

Microstructural Study of a Mechanically Alloyed ODS Superalloy 7,4; 524-532

thermal deflection

Effect of Processing Parameters on the Elastic Deflection of P/M Ni-Fe36Ni Bimetal Strips during Heating 7,5; 643-646

thermal spray

Protection of Carbon Steel against Hot Corrosion Using Thermal Spray Si- and Cr-Base Coatings 7,1; 79-87

thermally-induced damage

Prediction of Laser-Induced Thermal Damage of Fiber Mat and Fiber MatUD Reinforced Polymers 7,6; 751-756

through-thickness variability

Recent Advances in the Hole Drilling Method for Residual Stress Measurement 7,2; 163-172

TiAl

Synthesis of γ-TiAl Based Alloy by Mechanical Alloying and Reactive Hot Isostatic Pressing 7,6; 784-788

TiN

Microstructure and Hardness of Hollow Cathode Discharge Ion-Plated Titanium Nitride Film 7,3; 324-328

tin

Tribological Behavior of Ni/Sn Metallic Multilayer Composites 7,1; 27-32

TiN coating

The Corrosion Behavior of TiN Coated and Uncoated Incoloy 800 Alloy 7,6; 812-816

titanium nitride

Hardness, Microstructure and Surface Characterization of Laser Gas Nitrided Commercially Pure Titanium Using High Power CO_2 Laser 7,5; 647-655

toughness

The Effect of Segregation on the Austemper Transformation and Toughness of Ductile Irons 7,3; 407-419

transient current

Solutionizing Effects during Corrosive Wear in 6061 Aluminum and Composites 7,1; 33-47

tribology

A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7,3; 343-351

Modified Falex Testing: A Tool for Understanding the Compound Layer Capabilities 7,6; 796-800

true strain

Warm Compression Tests of Aluminum Alloy 7,4; 474-478

true stress

Warm Compression Tests of Aluminum Alloy 7,4; 474-478

tungsten carbide-cobalt coating

A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7,3; 343-351

turbine steels

Characterization of Seven Power-Generating Turbine Rotors Using Microscopy-Based Techniques 7,5; 621-631

twinning

Deformation Behavior of Cadmium Telluride Stressed at Elevated Temperatures 7,4; 555-563

type 304

Microstructure and Hardness of Hollow Cathode Discharge Ion-Plated Titanium Nitride Film 7,3; 324-328

type III crack

In Situ Investigation of the Effect of Hydrogen on the Plastic Deformation Ahead of the Crack Tip and the Crack Propagation for 0.15C-1.5Mn-0.17V-0.012N Steel 7,1; 100-103

ultra super-critical boilers

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7,2; 227-238

vacuum heat treating

A Mixture of Pure Gases that Produce Maximum Heat Transfer Characteristics for Quenching 7,3; 420-424

warm compression

Warm Compression Tests of Aluminum Alloy 7,4; 474-478

waste incineration boilers

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7,2; 227-238

wear

A High Cr-Mo Alloy Iron 7,4; 463-466

Low Stress Abrasive Wear Behavior of a Hardfaced Steel 7,2; 221-226

Modified Falex Testing: A Tool for Understanding the Compound Layer Capabilities 7,6; 796-800

Solutionizing Effects during Corrosive Wear in 6061 Aluminum and Composites 7,1; 33-47

Tribological Behavior of Ni/Sn Metallic Multilayer Composites 7,1; 27-32

wear behavior

Wear Resistance Properties of Austempered Ductile Iron 7,1; 48-52

wear mechanism

Low Stress Abrasive Wear Behavior of a Hardfaced Steel 7.2: 221-226

Sliding Wear Response of a Leaded-Tin Bronze: Influence of the Counterface Material Characteristics 7.1: 122-129

Wear and Wear Mechanism Simulation of Heavy-Duty Engine Intake Valve and Seat Inserts 7.1: 53-65

wear resistance

On the Laser Quenching of the Groove of the Piston Head in Large Diesel Engines 7.3: 402-406

weight functions

Fatigue Crack/Residual Stress Field Interactions and Their Implications for Damage-Tolerant Design 7.2: 190-198

weld pool dynamics

A Theoretical and Experimental Analysis of Variances in Weld Bead Morphologies 7.4: 515-523

welding

Penetration in Spot GTA Welds during Centrifugation 7.5: 597-600

whiskers

Low-Cycle Impact Fatigue of SiC_w/7475Al Composite 7.5: 677-681

white iron

A High Cr-Mo Alloy Iron 7.4: 463-466

x-ray diffraction

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part I: Background and Theory 7.3: 329-333

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part II: Analysis of Oxides on Dental Alloys 7.3: 334-342

x-ray photoelectron spectroscopy

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part I: Background and Theory 7.3: 329-333

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part II: Analysis of Oxides on Dental Alloys 7.3: 334-342

XRD

A Numerical Model to Investigate the Role of Residual Stresses on the Mechanical Behavior of Al/Al_2O_3 Particulate Composites 7.2: 183-189

ZA-27

Aging Characteristics of Short Glass Fiber Reinforced ZA-27 Alloy Composite Materials 7.6: 747-750

zero-wear

Tribological Behavior and Wear Mechanisms of TiN/TiCN/TiN Multilayer Coatings 7.5: 601-612

zinc alloys

Mechanical Properties of As-Cast and Heat-Treated ZA-27 Alloy/Short Glass Fiber Composites 7.1: 93-99

zinc-base alloy

Microstructure and Property Characterization of a Modified Zinc-Base Alloy and Comparison with Bearing Alloys 7.1: 130-135

zirconia

Laser Glazing of Plasma-Sprayed Zirconia Coatings 7.2: 258-264

Zn-Al alloys

Response of Some Cast Zinc-Base Alloys (37.5% Al) Comprised of Nickel/Silicon under Different Tensile Loading Conditions 7.5: 632-636

zone gradient profile

AR-Aging as a New Approach for Enhanced Results 7.6: 733-738

Aging Characteristics of Short Glass Fiber Reinforced ZA-27 Alloy Composite Materials 7.6: 747-750

An Internal-Variable Constitutive Model for Semisolid Slurries At High Solid Fractions 7.2: 199-204

Application of Positron Annihilation Spectroscopy to Study Recovery and Recrystallization of Commercial Pure Al and Al-1wt% Mn Alloys 7.5: 673-676

AR-Aging as a New Approach for Enhanced Results 7.6: 733-738

Assessment of Techniques for Characterizing the Surface Quality of Ground Silicon Nitride 7.4: 533-547

Boundary Element Methods for the Analysis of Crack Growth in the Presence of Residual Stress Fields 7.3: 352-360

Characterization of Seven Power-Generating Turbine Rotors Using Microscopy-Based Techniques 7.5: 621-631

A Comparative Study of Tribological Behavior of Plasma and D-Gun Sprayed Coatings under Different Wear Modes 7.3: 343-351

Comparison of Phosphor Bronze Metal Sheet Produced by Twin Roll Casting and Horizontal Continuous Casting 7.4: 495-503

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part I: Background and Theory 7.3: 329-333

The Complementary Nature of X-Ray Photoelectron Spectroscopy and Angle-Resolved X-Ray Diffraction Part II: Analysis of Oxides on Dental Alloys 7.3: 334-342

Computer Simulation Helps Increase Life of Impeller in Alumina Hydrate Precipitation from 2 to 8 Years 7.4: 491-494

The Corrosion Behavior of TiN Coated and Uncoated Incoloy 800 Alloy 7.6: 812-816

Crack Growth in a Welded Microalloyed Steel under Sulfide Stress Cracking Conditions 7.6: 777-783

Creep Data Analyses of a Columnar- Grained Nickel-Base Superalloy by Conventional and β-Envelope Methods 7.4: 548-554

Deformation Behavior of Cadmium Telluride Stressed at Elevated Temperatures 7.4: 555-563

Description of a Mathematical Model of Deformability for the Process of Drawing Tubes on a Fixed Mandrel 7.1: 71-78

Development of Clad Boiler Tubes Extruded from Bimetallic Centrifugal Castings 7.2: 227-238

The Effect of Al_2O_3 Addition on the Milling Behavior of NiAl Powder 7.5: 613-616

Effect of Austenitizing Conditions on the Impact Properties of an Alloyed Austempered Ductile Iron of Initially Ferritic Matrix Structure 7.2: 265-272

Effect of Heating Cycle on the Structure of Ag Films Deposited over Porcelain Substrates 7.6: 757-760

Effect of Processing Parameters on the Elastic Deflection of P/M Ni-Fe36Ni Bimetal Strips during Heating 7.5: 643-646

Effect of Rolling in the Intercritical Region on the Tensile Properties of Dual-Phase Steel 7.6: 772-776

The Effect of Segregation on the Austemper Transformation and Toughness of Ductile Irons 7.3: 407-419

The Effect of Zr on the Low-Cycle Fatigue Behavior of NiAl at 1000 K 7.2: 205-213

The Effects of a CeO_2 Coating on the Corrosion Parameters of Type 304 Stainless Steel 7.6: 727-732

The Effects of Artificial Aging on the Microstructure and Fracture Toughness of Al-Cu-Li Alloy 2195 7.5: 682-690

Effects of Laser Surface Melting on the Pitting Resistance of Sensitized Nitrogen-Bearing Type 316L Stainless Steel 7.2: 214-220

Estimation of Early Fatigue Damage in Heat Treated En-8 Grade Steel 7.4: 457-462

Fatigue Crack/Residual Stress Field Interactions and Their Implications for Damage-Tolerant Design 7.2: 190-198

A General Approach Based on Constrained Parameter-Optimization for the Implicit Representation of Information Concerning Welding Processes 7.6: 761-771

Graphitization in High Carbon Commercial Steels 7.4: 467-473

Hardness, Microstructure and Surface Characterization of Laser Gas Nitrided Commercially Pure Titanium Using High Power CO_2 Laser 7.5: 647-655

Heat Transfer Coefficient on External Mold Surface at High Pressure and Application to Metal-Matrix Composite Casting 7.5: 637-642

A High Cr-Mo Alloy Iron 7.4: 463-466

High Resolution Electron Microscopy Characterization of Nitrides of Iron and Iron Alloys 7.3: 312-316

High-Temperature Degradation and Protection of Ferritic and Austenitic Steels in Steam Generators 7.1: 108-113

Hot and Cold Rolling of High Nitrogen Cr-Ni and Cr-Mn Austenitic Stainless Steels 7.5: 661-666

HSLA-100 Steels: Influence of Aging Heat Treatment on Microstructure and Properties 7.2: 247-257

In Situ Investigation of the Effect of Hydrogen on the Plastic Deformation Ahead of the Crack Tip and the Crack Propagation for 0.15C-1.5Mn-0.17V-0.012N Steel 7.1: 100-103

Influence of Climatic Conditions on the Carbonation of Quicklime 7.6: 789-795

Influence of Laser Hardening and Resulting Microstructure on Fatigue Properties of Carbon Steels 7.3: 361-366

Influence of Roll and Solution Treatment Processing on Shape Memory Effect of Fe-14Mn-5Si-9Cr-5Ni Alloy 7.5: 617-620

Interfacial Stress in a Carbon-to-Metal Bond Joint under Thermal Shock Loading 7.1: 114-121

Inverse Optimal Design of the Radiant Heating in Materials Processing and Manufacturing 7.6: 719-726

Laser Glazing of Plasma-Sprayed Zirconia Coatings 7.2: 258-264

Location and Geometry of Defects in Composite Laminates from Infrared Images 7.3: 367-374

Low Stress Abrasive Wear Behavior of a Hardfaced Steel 7.2: 221-226

Low-Cycle Impact Fatigue of SiC_w/7475Al Composite 7.5: 677-681

Manufacturing and Recycling of A380Al/$SiC_{(p)}$ Composites 7.2: 239-246

Mechanical Behavior of Al-Al_2O_3 MMC Manufactured by PM Techniques Part I—Scheme I Processing Parameters 7.3: 393-401

Mechanical Properties of As-Cast and Heat-Treated ZA-27 Alloy/Short Glass Fiber Composites 7.1: 93-99

Microstructural Study of a Mechanically Alloyed ODS Superalloy 7,4; 524-532

Microstructure and Hardness of Hollow Cathode Discharge Ion-Plated Titanium Nitride Film 7,3; 324-328

Microstructure and Properties of Quenched-and-Aged Plates Produced from a Copper-Bearing HSLA Steel 7,4; 504-510

Microstructure and Property Characterization of a Modified Zinc-Base Alloy and Comparison with Bearing Alloys 7,1; 130-135

Microstructure of Heavily Deformed Magnesium- Lithium Composites Containing Steel Fibers 7,3; 375-384

A Mixture of Pure Gases that Produce Maximum Heat Transfer Characteristics for Quenching 7,3; 420-424

Modified Falex Testing: A Tool for Understanding the Compound Layer Capabilities 7,6; 796-800

Notch-Sensitive Fracture Behavior of a Silicon Carbide Fiber-Reinforced Glass-Ceramic at Elevated Temperatures 7,1; 104-107

A Numerical Model to Investigate the Role of Residual Stresses on the Mechanical Behavior of Al/Al_2O_3 Particulate Composites 7,2; 183-189

On the Laser Quenching of the Groove of the Piston Head in Large Diesel Engines 7,3; 402-406

Penetration in Spot GTA Welds during Centrifugation 7,5; 597-600

Prediction of Laser-Induced Thermal Damage of Fiber Mat and Fiber MatUD Reinforced Polymers 7,6; 751-756

Preparation and Processing of Rare Earth Chalcogenides 7,5; 656-660

The Preparation of TiAl-Based Intermetallics from Elemental Powders through a Two-Step Pressureless Sintering Process 7,3; 385-392

Processing and Response of Aluminum-Lithium Alloy Composites Reinforced with Copper-Coated Silicon Carbide Particulates 7,1; 66-70

Protection of Carbon Steel against Hot Corrosion Using Thermal Spray Si- and Cr-Base Coatings 7,1; 79-87

Recent Advances in the Hole Drilling Method for Residual Stress Measurement 7,2; 163-172

Relating Tensile, Bending, and Shear Test Data of Asphalt Binders to Pavement Performance 7,6; 805-811

Residual Stress Effects in Stress-Corrosion Cracking 7,2; 173-182

The Resistance to Cavitation Erosion of CrMnN Stainless Steels 7,6; 801-804

Response of Some Cast Zinc-Base Alloys (37.5% Al) Comprised of Nickel/Silicon under Different Tensile Loading Conditions 7,5; 632-636

Roof-Crush Strength Improvement Using Rigid Polyurethane Foam 7,4; 511-514

Sliding Wear Response of a Leaded-Tin Bronze: Influence of the Counterface Material Characteristics 7,1; 122-129

Solutionizing Effects during Corrosive Wear in 6061 Aluminum and Composites 7,1; 33-47

Structure Degradation of 25Cr35Ni Heat-Resistant Tube Associated with Surface Coking and Internal Carburization 7,5; 667-672

Study of Dynamic Explicit Analysis in Sheet Metal Forming Processes Using Faster Punch Velocity and Mass Scaling Scheme 7,4; 479-490

A Study of the Effect of Polystyrene Sulfonation on the Performance of Terephthaloyl Chloride-Dihydroxydiphenyl Sulfone Copolymer/Polystyrene System 7,6; 739-746

Surface Characterization Methods—XPS, TOF-SIMS, and SAM A Complimentary Ensemble of Tools 7,3; 303-311

Surface Nanocrystallization of 310S Stainless Steel and Its Effect on Oxidation Behavior 7,1; 88-92

Synthesis of γ-TiAl Based Alloy by Mechanical Alloying and Reactive Hot Isostatic Pressing 7,6; 784-788

A Theoretical and Experimental Analysis of Variances in Weld Bead Morphologies 7,4; 515-523

Tribological Behavior and Wear Mechanisms of TiN/TiCN/TiN Multilayer Coatings 7,5; 601-612

Tribological Behavior of Ni/Sn Metallic Multilayer Composites 7,1; 27-32

The Use of XPS, FTIR, SEM/EDX, Contact Angle, and AFM in the Characterization of Coatings 7,3; 317-323

Warm Compression Tests of Aluminum Alloy 7,4; 474-478

Wear and Wear Mechanism Simulation of Heavy-Duty Engine Intake Valve and Seat Inserts 7,1; 53-65

Wear Resistance Properties of Austempered Ductile Iron 7,1; 48-52

Weldability and Toughness Evaluation of Pressure Vessel Quality Steel Using the Shielded Metal Arc Welding (SMAW) Process 7,6; 817-823

Abd El Keriem, M.S. 7.5; 673-676
Abd El Wahab, M. 7.5; 673-676
Abdulaleem, B.J. 7.6; 812-816
Adeyemi, M.B. 7.4; 474-478
Ahmad, E. 7.6; 772-776
Ahmed, A.Y. 7.3; 393-401
Aidun, D.K. 7.4; 555-563
7.5; 597-600
Alaalam, M. 7.2; 265-272
Albarran, J.L. 7.6; 777-783
Ali, S.A. 7.6; 739-746
Aliabadi, M.H. 7.3; 352-360
Almeraya-Calderón, M.F. 7.1; 108-113
Aluko, O. 7.4; 474-478
Andrews, S. 7.1; 33-47
Avtar, R. 7.4; 504-510
Bakker, W.T. 7.2; 227-238
Bala Srinivasan, P. 7.6; 796-800
Balamurugan, A.K. 7.5; 647-655
Balasubramanian, R. 7.4; 555-563
Barr, T.L. 7.3; 329-333
7.3; 334-342
Bashkansky, M. 7.4; 533-547
Beghini, M. 7.2; 163-172
Bertini, L. 7.2; 163-172
Biesinger, M. 7.3; 317-323
Biswas, R.G. 7.6; 727-732
Blau, P.J. 7.4; 533-547
Boey, F.Y.C. 7.1; 66-70
Brantley, W.A. 7.3; 329-333
7.3; 334-342
Breder, K. 7.4; 533-547
Campo, A. 7.3; 420-424
Cao, Y. 7.1; 66-70
Cerny, I. 7.3; 361-366
Chen, C.T. 7.3; 324-328
Chen, E.T. 7.3; 407-419
Chen, J.-S. 7.6; 805-811
Chen, P.S. 7.5; 682-690
Chumbley, L.S. 7.3; 375-384
Colás, R. 7.4; 467-473
Cook, R. 7.3; 352-360
Das, S. 7.2; 221-226
Dasgupta, R. 7.2; 221-226
Datta, R. 7.6; 817-823
Davidson, R. 7.3; 317-323
Dayal, R.K. 7.2; 214-220
DeArdo, A.J. 7.2; 247-257
Delia, M. 7.2; 265-272
deVries, J.E. 7.3; 303-311
Dheilly, R.-M. 7.6; 789-795
Dhua, S.K. 7.4; 504-510
Edwards, L. 7.2; 190-198
Ellingson, W.A. 7.4; 533-547
Fürbacher, I. 7.3; 361-366
Faura, F. 7.3; 420-424
Fedorov, A.G. 7.6; 719-726
Fitzpatrick, M.E. 7.2; 190-198
Fu, W.T. 7.6; 801-804
Gao, W. 7.1; 88-92
Gaona-Tiburcio, C. 7.1; 108-113
Garcia, C.I. 7.2; 247-257
Gater, C.A. 7.4; 524-532
Ghosh, A.K. 7.4; 457-462
Giorleo, G. 7.3; 367-374
Girish, B.M. 7.1; 93-99
Girish, B.M. 7.6; 747-750
Gogia, A.K. 7.5; 647-655
Gonzalez-Rodriguez, J.G. 7.1; 108-113
Gonzalez-Rodriguez, J.G. 7.1; 79-87
Gopala Krishna, M.S. 7.4; 548-554
Grech, M. 7.2; 265-272
Gschneidner, Jr., K.A. 7.5; 656-660
Guagliano, M. 7.2; 183-189
Hänninen, H. 7.5; 661-666
Hamid, S.H. 7.6; 739-746
Hanada, K. 7.1; 66-70
Hays, C. 7.6; 733-738
He, Y. 7.1; 88-92
Hinojosa, G. 7.3; 312-316
Hocheng, H. 7.6; 751-756
Hu, C.T. 7.4; 495-503
Hu, Y. 7.1; 100-103
Hu, Z.Q. 7.5; 667-672
Huang, H. 7.6; 784-788
Huang, J.-H. 7.3; 324-328
Huang, X. 7.4; 463-466
Hwang, J.D. 7.4; 495-503
Hwang, W.S. 7.3; 385-392
7.4; 495-503
Ilegbusi, O.J. 7.2; 199-204
7.5; 637-642
Ilola, R. 7.5; 661-666
Iyer, K.J.L. 7.6; 796-800
Jensen, J.A. 7.3; 375-384
Jha, A.K. 7.2; 221-226
Jha, P. 7.4; 504-510
Jha, S. 7.4; 504-510
Ji, Y. 7.6; 784-788
Jin, Z.H. 7.5; 617-620
Jing, T.F. 7.6; 801-804
Joshi, S.V. 7.3; 343-351
Jung, D.W. 7.4; 479-490
Kahn, K.A. 7.6; 739-746
Kahraman, R. 7.1; 104-107
7.6; 739-746
7.6; 812-816
Kamachi Mudali, U. 7.2; 214-220
Kamath, R. 7.1; 93-99
7.6; 747-750
Kang, D.T. 7.1; 100-103
Kao, W.H. 7.5; 601-612
Kauppi, T. 7.5; 661-666
Kerber, S.J. 7.3; 329-333
7.3; 334-342
Khaled, M.M. 7.6; 812-816
Khalil, M.H. 7.5; 673-676
Khan, A.A. 7.6; 757-760
Khan, Z. 7.6; 812-816
Khor, K.A. 7.1; 66-70
Kingsbury, G.R. 7.1; 48-52
Krishnaraj, N. 7.6; 796-800
Kuruvilla, A.K. 7.5; 682-690
Laabs, F.C. 7.3; 375-384
Labbe, J.C. 7.6; 757-760
Lambrakos, S.G. 7.6; 761-771
Larson, J.M. 7.1; 53-65
Lee, E.C. 7.2; 239-246
Lee, K.H. 7.6; 719-726
Lei, T.S. 7.3; 407-419
Leitao, V.M.A. 7.3; 352-360
Lerch, B.A. 7.2; 205-213
Lerner, Y.S. 7.1; 48-52
Leu, C.E. 7.2; 239-246
Li, B.J. 7.4; 495-503
Li, C.L. 7.5; 617-620
Liao, B. 7.1; 100-103
Lilley, K. 7.4; 511-514
Lin, B.Y. 7.3; 407-419
Lin, C.B. 7.2; 239-246
Linhart, V. 7.3; 361-366
Lis, A.K. 7.2; 247-257
Liu, C.-C. 7.5; 643-646
Liu, Q. 7.3; 402-406
Liu, Y. 7.5; 677-681
Liu, Z. 7.1; 88-92
Lopez, H.F. 7.6; 777-783
Malone, T.W. 7.5; 682-690
Mani, A. 7.4; 511-514
Mann, G.P. 7.3; 329-333
7.3; 334-342
Martínez-Villafañe, A. 7.1; 108-113
Martin, J.W. 7.4; 524-532
Martin, S.A. 7.5; 597-600
Martinez, L. 7.1; 79-87
7.6; 777-783
Marya, M. 7.4; 515-523
Marya, S.K. 7.4; 515-523
Mat, M.D. 7.2; 199-204
Mazen, A.A. 7.3; 393-401
Meola, C. 7.3; 367-374
Milewski, J.O. 7.6; 761-771
Mishra, S. 7.6; 817-823
Mitchell, D.R.G. 7.5; 621-631
Mitchell, J.C. 7.3; 329-333
7.3; 334-342
Modi, O.P. 7.2; 221-226
Mohsen, M. 7.5; 673-676
Moss, C.J. 7.5; 621-631
Mujahid, M. 7.2; 247-257
7.4; 524-532
Mukerjee, D. 7.6; 817-823
Murakoshi, Y. 7.1; 66-70
Nan, Y. 7.1; 100-103
Narasimhan, S. 7.1; 53-65
Nath, A.K. 7.5; 647-655
Neri, M.A. 7.4; 467-473
Noebe, R.D. 7.2; 205-213
Oseguera, J. 7.3; 312-316
Ouerfelli, M. 7.6; 812-816
Pan, C.T. 7.6; 751-756
Pandey, J.P. 7.1; 122-129
Papazoglou, E. 7.3; 329-333
7.3; 334-342
Patwardhan, A.K. 7.1; 130-135
Porcayo-Calderón, J. 7.1; 108-113
Porcayo-Calderon, J. 7.1; 79-87
Pospiech, J. 7.1; 71-78
Prasad, B.K. 7.1; 122-129
7.1; 130-135
7.2; 221-226
7.5; 632-636
Prasad, K.U.M. 7.3; 343-351
Prasad, M.S. 7.4; 504-510
Priestner, R. 7.6; 772-776
Pujar, M.G. 7.2; 214-220
Quéneudec, M. 7.6; 789-795
Qutub, A. 7.6; 812-816
Radhakrishnan, V.M. 7.4; 548-554
Rajagopal, S. 7.5; 647-655
Rao, D.S. 7.3; 343-351
Rao, K.B.S. 7.2; 205-213
Ray, A. 7.4; 504-510
Regel, L.L. 7.4; 555-563

Reintjes, J. 7,4; 533-547
Riester, L. 7,4; 533-547
Rooke, D.P. 7,3; 352-360
Sahin, A.Z. 7,6; 739-746
Sanders, R.D. 7,6; 727-732
Satish, B.M. 7,1; 93-99
7,6; 747-750
Schabes-Retchkiman, P.S. 7,3; 312-316
Schaefer, S.K. 7,1; 53-65
Sen, S.K. 7,4; 457-462
7,4; 504-510
Sengupta, P.P. 7,4; 504-510
Senthil Selvan, J. 7,5; 647-655
Sharma, S.C. 7,1; 93-99
7,6; 747-750
Shen, J. 7,4; 555-563
Singh, R.N. 7,1; 27-32
Song, Y.C. 7,3; 402-406
7,3; 324-328
Sponseller, D.L. 7,2; 227-238
Sriramamurthy, A.M. 7,4; 548-554
Srivatsan, T.S. 7,1; 66-70
Stanton, W.P. 7,5; 682-690
Stemmler, R.P. 7,6; 733-738
Su, Y.L. 7,5; 601-612
Subramanian, K. 7,5; 647-655
Sudarshan, T.S. 7,1; 66-70
Sun, J.G. 7,4; 533-547
Sunar, M. 7,1; 104-107
Sundararajan, G. 7,3; 343-351
Sundaresan, S. 7,6; 796-800
Taha, A.S. 7,5; 673-676
Talukdar, P. 7,4; 457-462
Tiainen, T. 7,6; 784-788
Timmons, G.A. 7,2; 227-238
Toribio, J. 7,2; 173-182
Tsai, C.-J. 7,6; 805-811
Tsai, H.L. 7,2; 258-264
Tsai, P.C. 7,2; 258-264
Tuan, W.H. 7,5; 613-616
Tudo, J. 7,6; 789-795
Valtierra, S. 7,4; 467-473
Varma, S.K. 7,1; 33-47
Virtanen, P. 7,6; 784-788
Viskanta, R. 7,6; 719-726
Walzak, M.J. 7,3; 317-323
Wang, W. 7,1; 27-32
Wang, Y.S. 7,1; 53-65
Wang, W.-F. 7,5; 643-646
Watkins, T.R. 7,4; 533-547
Weetman, R.J. 7,4; 491-494
Wilcox, W.R. 7,4; 555-563
Wu, X.Q. 7,5; 667-672
Wu, Y. 7,4; 463-466
Xu, F. 7,5; 677-681
Xu, G. 7,3; 402-406
Yang, J. 7,5; 637-642
Yang, J.B. 7,3; 385-392
Yang, P. 7,5; 677-681
Yang, Y. 7,3; 402-406
Yang, Y.B. 7,6; 801-804
Yang, Y.S. 7,5; 667-672
Yao, M. 7,6; 801-804
Yegneswaran, A.H. 7,1; 130-135
7,2; 221-226
Yilbas, B.S. 7,6; 812-816
You, J.H. 7,1; 114-121
Yu, G.-P. 7,3; 324-328
Zamora, B. 7,3; 420-424
Zanoria, E.S. 7,4; 533-547
Zhan, Q. 7,5; 667-672
Zhao, Z. 7,3; 402-406
Zheng, Y.Z. 7,6; 801-804